

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	83	"5642015"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:14
L2	1106	73/862.041-862.046. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:14
L3	90	2 and (tactile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:14
L4	43	3 and (pressure force strain stress load) near3 (layer sheet film pad)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:15
L5	17	4 and (elastomeric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:15
L6	5	5 and (displac\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:15
L7	5	6 and (electrode conduct\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:15

L8	3	7 and (capacit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:15
L9	28	2 and (non) near3 (contact\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:15
L10	6	9 and (pressure force strain stress load) near3 (layer sheet film pad)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:16
L11	2	10 and (elastomeric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:16
L12	13062	(tactile noncontact \$4) near3 (sens\$4 detect\$4 transducer measur\$4 gage gauge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:16
L13	955	12 and (pressure force strain stress load) near3 (layer sheet film pad)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:16
L14	133	13 and (elastomeric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:17
L15	32	14 and (displac\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:17

L16	28	15 and (electrode conduct\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:17
L17	19	16 and (capacit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:17
L18	74662	(corrugat\$4 ridge groove) near3 (sandwich\$4 locat\$4 arrang\$4 situat\$4 between layer film sheet pad coat\$4). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:18
L19	13753	18 and (elastomeric \$4 elasomeric\$4 polymer\$4 rubber plastic\$4 composite).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:18
L20	18	19 and (capacit\$4) near3 (sens\$4 detect \$4 transducer measur\$4 gage gauge).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:19
L21	21035	(capacit\$4) near3 (sens\$4 detect\$4 transducer measur \$4 gage gauge). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:19
L22	1419	21 and (elastomeric \$4 elasomeric\$4 polymer\$4 rubber plastic\$4 composite).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:19
L23	18	22 and (corrugat\$4 ridge groove) near3 (sandwich\$4 locat\$4 arrang\$4 situat\$4 between layer film sheet pad coat\$4). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:20

L24	1106	73/862.041-862.046. cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:20
L25	18	24 and (corrugat\$4 ridge groove) near3 (sandwich\$4 locat\$4 arrang\$4 situat\$4 between layer film sheet pad coat\$4). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:20
L26	3	25 and (elastomeric \$4 elasomeric\$4 polymer\$4 rubber plastic\$4 composite).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 19:21

7/20/08 7:21:53 PM